ANNA M. ROTH, RN, MS, MPH
HEALTH SERVICES DIRECTOR
RANDALL L. SAWYER
DEPUTY HEALTH DIRECTOR
MATTHEW S. KAUFMANN
PRECTOR OF HAZARDOUS MATERIALS PROGRAMS



## Contra Costa Hazardous Materials Programs

4585 Pacheco Boulevard, Suite 100 Martinez, California 94553

> Ph (925) 655-3200 Fax (925) 646-2073

ccchazmat@cchealth.org www.cchealth.org/hazmat/

## COMPLAINT, INCIDENT, AND NOTIFICATION REPORT FORM

Type (Circle One): C I N		CASE NUMBE	ER: 220312 — 01				
Received Date: 03/12/22	Received Time: 1:00 AM	_ Received By: AS	Lead: AS				
Incident Date: 03/12/22	Incident Time: 1:00 AM	Assigned to:	Assigned Date:				
COMPLAINANT / REPORTING PARTY:							
Name: Deputy Delgado		■ RP is from Facility  □ Anonymous					
Organization: Orinda PD	and the state of t	Cal OES # (if applicable)					
Primary Phone Number: 925-6462441 Secondary Phone Number:							
Email:							
Address:		<u></u>					
City:		State: Zip	Code:				
FACILITY / LOCATION OF INCIDENT:							
Name:CUPA Facility I.D.:							
Phone Number:							
Address: Moraga Way and Los Cerros Unit:							
City: Orinda		State: CA Zip 0	Code: 94563				
Location Description: Moraga Way 200' south of Los Cerros							
INITIAL INCIDENT DESCRIP	PTION:	<del>4.4.1</del>					
Traffic collision 2 vehicle	es one lost gas tank during a	accident					
INCIDENT TYPE / DESCRIPTION:							
INCIDENT TYPE / DESCRIPTION:  Community Warning System Level (Circle Highest Level): N/A 0 1 2 3							
FACILITY	ISO / MCAR	TRANSPORTATION	MISCELLANEOUS				
☐ Fire or Explosion  ★ Spill or Release	☐ Fatality (one or more)☐ > 24 hrs. Hospital, 3 or	□ Tank Truck □ Railroad	<ul><li>□ Storm Drain/Creek</li><li>□ Drug Lab</li></ul>				
□ Startup or Shutdown		□ Con Water	□ Disposal/Abandonment				
□ Flaring	□ Flammable Vapor Cloud	□ Pipeline	□ Odor Complaint				
□ Upset	> 5,000 lbs.	□ Fuel Tank	□ Other:				
Time Enroute to Scene:	Time Arrived On Scen	ne: Time De	Time Departed From Scene:				
REFERRED TO OTHER AGENCY:							



<sup>•</sup> Contra Costa Behavioral Health Services • Contra Costa Emergency Medical Services • Contra Costa Environmental Health & Hazardous Materials Programs •

<sup>•</sup> Contra Costa Health, Housing & Homeless Services • Contra Costa Health Plan • Contra Costa Public Health • Contra Costa Regional Medical Center & Health Centers •

DTSC STATE FUNDING (if applicable):			STORMWATER ST	STORMWATER STATUS (if applicable):				
CLU/ERER Number:			□ Actual Discharge □ Potential Discharge					
AGENCIES ON SCENE OR NOTIFIED:								
		O/N	Contact Baroon	Dhone Number	Casa Number			
Agency Type Fire Department	<u>Agency</u>	O/N	Contact Person	Phone Number	Case Number			
Law Enforcement								
Air District								
State OES								
State OLS								
REPORT:								
0200 AS arrived on scene 1950s Chevy head on collision caused the gas tank to detach form the vehicle containing approximately 15 gal of gasoline, Tow truck driver was unable to transport the vehicle safely with the detached gas tank								
Tank was attached by rubber fuel line and sensor wire on arrival.								
Team donned Level C PPE and transfered the fuel into to a steel 30 gal drum for removal.								
absorbent was also used to clean up the small amount of oil/fuel spill from the vehicles								
Billing will go to primary party causing collision reported by Police.								
	***************************************							
Additional Required Items: Bill of Lading, Request for Invoice, and Site Safety Plan								
Report Prepared by: Adam								