ANNA M. ROTH, RN, MS, MPH
HEALTH SERVICES DIRECTOR
RANDALL L. SAWYER
CHIEF ENVIRONMENTAL HEALTH & HAZMAT OFFICER



## Contra Costa Hazardous Materials Programs

4585 Pacheco Boulevard, Suite 100 Martinez, California 94553

Ph (925) 335-3200 Fax (925) 646-2073 ccchazmat@hsd.cccounty.us www.cchealth.org/hazmat/

## COMPLAINT, INCIDENT, AND NOTIFICATION REPORT FORM

Type (Circle One): C I N		CASE NUMB	ER: 19-04-27 —01					
Received Date: 04/27/19	Received Time: 5:25 AM	Received By: SD Lead: SD						
Incident Date:	Incident Time: 5:25 AM	Assigned to: Assigned Date:						
COMPLAINANT / REPORTING PARTY:								
Name: Con Fire Dispatch		□ RP is fr	om Facility □ Anonymous					
Organization:								
Primary Phone Number: Secondary Phone Number:								
Email:								
City:		State: Zip Code:						
FACILITY / LOCATION OF INCIDENT:								
Name:CUPA Facility I.D.:								
Phone Number:								
Address: Treatro St @ School St Unit:								
City: Pittsburg		State: CA Zip (	Code:					
Location Description:								
INITIAL INCIDENT DESCRIPTION:								
5 1 gallon containers of green liquid with person exposed and sent to ER								
INCIDENT TYPE / DESCRIPTION:								
Community Warning System Level (Circle Highest Level): N/A 0 1 2 3								
FACILITY	ISO / MCAR	TRANSPORTATION	MISCELLANEOUS					
	□ Fatality (one or more)	□ Tank Truck	□ Storm Drain/Creek					
	□ > 24 hrs. Hospital, 3 or more people	│ □ Railroad └ □ On Water	☐ Drug Lab☐ Disposal/Abandonment☐					
□ Flaring	□ Flammable Vapor Cloud	□ Pipeline	□ Odor Complaint					
□ Upset	> 5,000 lbs.	□ Fuel Tank	□ Other:					
Time Enroute to Scene: 5:45 AM Time Arrived On Scene: 6:10 AM Time Departed From Scene: 6:30 AM								
REFERRED TO OTHER AGENCY:								



- Contra Costa Behavioral Health Services Contra Costa Emergency Medical Services Contra Costa Environmental Health & Hazardous Materials Programs •
- Contra Costa Health, Housing & Homeless Services Contra Costa Health Plan Contra Costa Public Health Contra Costa Regional Medical Center & Health Centers •

					· · · · · · · · · · · · · · · · · · ·		
DTSC STATE FUNDING (if applicable):				STORMWATER STATUS (if applicable):			
CLU/ERER Number:			Actual Discharg	□ Actual Discharge □ Potential Discharge			
AGENCIES ON SCENE OR NOTIFIED:							
Agency Type	Agency	<u>O/N</u>	Contact Person	Phone Number	Case Number		
Fire Department	Con Fire	0					
Law Enforcement							
Air District							
State OES							
· • • • • • • • • • • • • • • • • • • •							
		_11					
REPORT:							
Con Fire requested assistance with responding to 5 1 gallon containers in a public area at Treatro St @ School St in Pittsburg, CA. Reporting party stated they were overcome by the chemical and self transported to the ER. The liquid burned when spilled on the ground. PD reported to dispatch that the reporting party may have been a transient with previous PD encounters related to substance abuse.							
respond HMS I reported hazard	atched HMS Springer, UFriedman and Springer a ous materials. Con Fire the hazardous material ene at 6:30 AM.	arrived or Station	n scene at 6:10 AM 87 personnel also re	and were unable sponded to the s	to locate the scene and were		
Additional Requir	ed Items: Bill of Lading, Re	equest for	Invoice, and Site Safe	ty Plan	Desirabet		
Report Prepared by:							