

Live Your Life!

Control Your Diabetes




Lumetra
Brighter insights. Better healthcare.

i Viva@Vida!
tome control de su diabetes

 **La Clínica**

NAME:

Live Your Life! Control Your Diabetes

A partnership between

La Clinica de la Raza Preventive Medicine
Oakland, California

and

Lumetra
California's Medicare Quality Improvement Organization
San Francisco, California

Joan Thompson, PhD, MPH, RD, CDE, primary author.

Original funds provided by the Education and Research Foundation of the American Association of Diabetes Educators in 1999. Content update by La Clinica and Lumetra (2003, 2006). Additional graphics by Lumetra. Reproduction by Lumetra and Robert Wood Johnson Foundation (Diabetes Initiative).

Lumetra extends our deep appreciation to La Clinica de la Raza for assisting us in sharing this valuable information.

Lumetra, California's Medicare Quality Improvement Organization, initiated the Viva la Vida project to improve diabetes care for Medicare beneficiaries in the Latino community. Viva la Vida means "Live your life!" – a call to action for older Latinos and their families to take charge of their diabetes, and live their lives to the fullest. For more information, contact Ana Perez, APRN, BC-ADM, CDE, at (415) 677-2142 or aperez@caqio.sdps.org, or visit www.lumetra.com/diabetesandlatinos

This document was made possible by Lumetra's contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services, contract number 500-02-CA02. The contents presented do not necessarily reflect CMS policy. 8SOW-CA-1D2-06-08

Contents

Emergency Numbers1



Routine Self-Care.....page 2

Check Your Blood Sugar	3
Exercise	4
Follow a Meal Plan	6
Take Care of Your Heart	9
Take Your Medicine	11
Take Care of Your Feet	12
Take Care of Your Teeth	14
Manage Stress	15
Create an Action Plan to Stay Healthy	16



Tests You Needpage 18

A1C	19
Blood Cholesterol	20
Blood Pressure	21
Microalbumin	22
Dilated Eye Exam	23
Foot Exam	24
Dental Exam	25




Emergency Care.....page 26

Low Blood Sugar	27
Sick Days	30
When Should I Call the Doctor?	32

Diabetes Resource Card

Questions to Ask My Doctor	33
My Results	34

The major responsibility for
your care rests with you.



You can improve your quality of life.

You can avoid problems in the future.

You can take control of your diabetes
before it takes control of you.

Emergency Numbers

Doctor's name: _____

Doctor's phone number: _____


Emergency phone number: _____

Diabetes educator's name: _____

Diabetes educator's phone number: _____

Routine Self-Care


There are 9 things that you can do
each day to take care of your diabetes.




Check Your
Blood Sugar



Exercise



Follow a Meal Plan



Take Care of
Your Heart



Take Your
Medicine




Take Care of
Your Feet



Take Care of
Your Teeth



Manage Stress



Create an
Action Plan to
Stay Healthy






Check Your Blood Sugar


When should I measure my blood sugar?

What should it be?



Before breakfast (90-130)

so you can start the day knowing your blood sugar level.



Before meals (90-130)

to know which foods to eat and how much.



2 hours after meals (<180)


to learn how your food choices affect your blood sugar level.

Exercise




Why should I exercise?

It lowers your blood sugar level.



Before Exercise



After Exercise

You feel better.




Before Exercise




After Exercise

It helps you to lose weight.



Before Exercise



After Exercise





How often should I exercise?

At least 30 minutes 5 days a week.
Do more if you can.

What type of exercise is best?

Whatever you can enjoy without pain.
Ask your doctor before starting an exercise program.



Walking



Dancing



Aerobics



Exercise While Sitting



Stationary Bike

Follow a Meal Plan

Some foods contain carbohydrates. Those that are high in carbohydrates increase blood sugar levels. One serving is equal to 15 grams of carbohydrate. Some recommendations follow:

- Eat 2 to 4 servings of carbohydrate-rich foods every 4-5 hours.
- If your blood sugar is too high, eat fewer servings of these foods.
- Eat at least 3 meals a day.

Foods high in carbohydrates and serving sizes:


Grains & Beans




Beans
1/2 Cup




Lentils
1/2 Cup



Rice
1/3 Cup




Pasta
1/3 Cup




Tortilla
1



Hot Cereal
1/2 Cup



Cold Cereal
Read food label




Bread
1 regular slice





Starchy Vegetables



Potato
1 small



Corn
1/2 cup



Green Peas
1/2 cup



Sweet Potato
1/3 cup


Fruits and Fruit Juices



Banana
1 small



Apple
1 small



Orange
1 small



Mango
1/2 small



Papaya
1 cup




Cantaloupe
1/3 small




Watermelon
1 cup



Fruit Cocktail
1/2 cup




Strawberries
4 big or
6-7 small



Grapes
15



Fruit Juice
4 ounces




Kiwi
1

Note: 4 ounces is equal to 1/2 cup.


Milk and Yogurt



Milk
8 ounces




Yogurt
flavored
(read food label)




Yogurt
unflavored
6 ounces

Sweets and Desserts




Mexican Sweet Bread
1/4 piece



Cookie (read food label
for total carbohydrates)



Ice Cream
1/2 cup



Gelatin
1/2 cup





Take Care of Your Heart: Cholesterol

Causes of High Cholesterol



Lack of physical activity



Being overweight



Eating fatty foods

What can you do to
reduce your cholesterol?




Eat less meats,
butter, and
cheese



Eat low fat
foods or low
fat substitutes



Eat oatmeal
and beans
more often



Eat fewer
eggs



Bake or broil
instead of frying



Take Care of Your Heart: Blood Pressure

Causes of High Blood Pressure



Smoking



Overweight



Lack of physical activity



Alcohol



Too much salt


What can you change in your diet
to lower your blood pressure?



Use less salt



Eat less
processed
and canned
foods



Eat more
vegetables
and
fresh food




Consume
low fat dairy
products



Take Your Medicine



Many people with diabetes take pills to control their blood sugar. Others inject insulin. The following guide tells you when to take your medicine.



Glipizide

Take 30 minutes before meals.



Glyburide


Metformin (Glucophage)

Take with meals.



Actos, Avandia

Take at the same time every day.



Insulin

You need to know the kind of insulin and how it works in your body (fast- or slow-acting, or mix). Ask your doctor or diabetes educator how it works and when to take it.


Take Care of Your Feet




Here are some things you can do to take good care of your feet.




Take your shoes and socks off at each doctor visit. Ask the doctor to check your feet.



Wash your feet with warm water every day. Dry them well, especially between the toes.



Use a moisturizing lotion but not between the toes.




Check your feet daily for cuts, bruises, blisters, redness and swelling.





Take Care of Your Feet


(continued)




Never walk barefoot.



Wear shoes that fit well.




Check inside your shoes before putting them on. There may be something that can cut you.




Cut your nails straight across as shown.

Take Care of Your Teeth

Why is it important?



You can get gum infections. This can cause pain and lead to tooth loss.



Infections can increase your blood sugar.




High blood sugar increases bacteria in the mouth. This leads to dental decay.


What should I do?



Use dental floss every day.



Brush 2 minutes or more, at least 2 times per day.



Keep blood sugar under good control.






Manage Stress

Diabetes can increase stress.
Stress can increase your blood sugar.

What can I do?



Try to see things
positively.



Talk to a friend
or family.



Exercise.

Depression

How do I know if I am depressed?


- During the past month, have you often been bothered by feeling down, depressed, or hopeless?
- During the past month, have you often been bothered by having little interest in doing things?



If you answered "yes" to either question, talk to your doctor.

Create an Action Plan to Stay Healthy

An action plan gives you detailed steps to help manage your diabetes and help you stay healthy.



Your action plan should include:

- The specific action you are going to take.
- How often or how much time you will spend doing the specific action.
- When you will do the specific action.

Your action plan should be:

- **Desirable** (Something you want to do to improve your diabetes)
- **Realistic** (Something you can do)
- **Specific** (Something very concrete)





Create an Action Plan to Stay Healthy

(continued)

To develop your plan, ask yourself these questions:

What exactly am I going to do?

- I will walk.
- I will eat less.

How often or how much will I do?


- I will walk 20 minutes.
- I will eat no more than 2 tortillas.

When am I going to do it?


- I will walk 20 minutes in the morning after breakfast.
- I will eat no more than 2 tortillas every meal.

Remember to ask yourself:
What • How • When


Tests You Need




A1C




Blood cholesterol




Blood Pressure



Microalbumin



Dilated
Eye Exam



Foot Exam
(monofilament)




Dental
Exam

Use the handy tear-off card in the middle of the brochure to keep track of your tests.



A1C




What is the A1C?

The A1C test tells you how well your blood sugar control was during the last 3 months. It helps the doctor decide your treatment plan.

How often do I need it?

At least twice a year, and sometimes more often.


What is a good A1C level?



More than 7% = Take Action

7% or less = Good


Blood Cholesterol



What is cholesterol?

It is a wax-like substance that blocks the flow of blood in your arteries. Bad cholesterol (LDL cholesterol) can lead to heart problems.

What is a good level of LDL?



Less than 100
OK

Over 100
High

How often do I need to check my LDL level?

Once a year

For more information see page 9.




Blood Pressure




Why is high blood pressure bad?

It can cause serious problems in the following organs:



Kidneys



Eyes



Heart

What is a good level
for blood pressure?

Less than 130/80


What can I do if it is too high?



Take your blood pressure
medicines as directed.

For more information see page 10.

Microalbumin



Why do I need this test?

It tells you how well your kidneys are working.
It measures the amount of protein in the
urine. Early detection helps prevent problems
in the future.


How often do I need it?

Once a year

How can I keep my kidneys healthy?



Keep your
blood sugar
within healthy
limits (see page 3).



Take blood pressure
medicines prescribed by
your doctor.




Dilated Eye Exam



What is the dilated eye exam?

The doctor puts drops in your eyes to dilate them. Your pupils become larger. The doctor can then look at the back of your eye for any changes.



Why do I need this exam?

If the doctor find a problem, he or she can treat it to prevent further problems.

How often do I need this exam?

Once a year


Foot Exam

(Monofilament)



What is this test?

The doctor or nurse touches your foot with a thin nylon filament. You tell the doctor if you feel it.



Why do I need this?

This test tells you if the nerves in your feet are healthy. If you do not feel the filament, the nurse or doctor will tell you how to avoid foot problems.

How often do I need this?

Once a year



Dental Exam




The dentist looks at your teeth, gums and mouth to see if you have any problems. If you do, the problems are corrected. Even if you use false teeth, you still need an exam.


How often do I need this exam?

2 times a year


Why do I need this exam?



Healthy teeth and gums are needed to eat without having pain.




Gum disease can increase blood sugar.




Gum disease can cause heart problems.

Emergency Care


This section contains emergency care for the following areas:



Low Blood Sugar




Sick Days



When to Get Help



Low Blood Sugar



Low blood sugar can cause some of the following symptoms:



Dizziness




Sweating




Shaking

Low Blood Sugar

(continued)




What are the causes?



Skipping meals.



Long periods of exercise with no snack.




Delaying meals too long after taking diabetes medicine.



What should I do if I have symptoms of low blood sugar?

1




Measure your blood sugar level.

2




If blood sugar is under 70, drink 4 ounces of fruit juice or 4 ounces of regular soda.

3




Wait 15-20 minutes and measure blood sugar again.

4



If you do not plan to eat in the next 1-2 hours, eat a snack.

5




Eat your meals on time.

Sick Days



When you are sick, your blood sugar may rise more than usual.



Continue taking your diabetes medicine as usual.



Measure your blood sugar more often (every 2-4 hours if it is higher than normal).

Eat the usual amounts of food at the usual times.



To avoid dehydration, drink at least 8 ounces of calorie-free fluids (water, broth, diet soda) every hour.



Sick Days


(continued)

If you can't eat as usual because of nausea and vomiting, drink liquids or eat foods with carbohydrates (1 serving every 1-2 hours).

You can try these foods:



Gelatin
(1/2 cup)




Ice cream
(1/2 cup)




Fruit Juice
(4 ounces)



Gatorade™
(1 cup)




Pudding
(1/2 cup)



6 saltines

Look on pages 6, 7, and 8 for other foods with carbohydrates.


When Should I Call the Doctor?



If your blood sugar is much higher than usual for more than two days.



If you are vomiting for more than 8 hours and cannot hold down fluids.



If you have difficulty breathing.



If you have diarrhea for more than 8 hours and cannot hold down fluids.

Or if something worries you.



Questions to Ask My Doctor

The ABC's of diabetes care:

- A. How is my **A**1C? When do I need the test again?
- B. How is my **B**lood pressure?
- C. How is my **C**holesterol?

For questions A, B, C, ask: What are my target numbers?

Other important questions:

- 1. Will you check my feet today?
- 2. Do I need my eye exam?
- 3. Where can I attend diabetes education classes?

My Results

Lab Test	Result	Date	Due/Target
 A1C			2 times a year/ 7% or less
 LDL - Cholesterol			1 time a year/ Less than 100
 Blood Pressure			Every visit/ Less than 130/80
 Microalbumin			1 time a year
 Dilated Eye Exam			1 time a year
 Foot Exam			1 time a year
 Dental Exam			2 times a year

Visit www.lumetra.com/diabetesandlatinos to print another copy to keep in your wallet.