Process Hazard Analysis Facility Siting Checklist

Facility:	Date:
Team Members:	

Note: For compliance, OSHA expects specific justification for each individual situation/condition.

Item	Question	Answer (Y, N, N/A)	Justification	Recommendations
GENE	RAL CONSIDERATIONS			
1.	If plant contains flammables above PSM/RMP/CalARP TQ, are they located outdoors to reduce risks?			
2.	Is plant exposed to hazards from neighboring plants?			
3.	Are there detection systems and/or alarms in place to assist in warning neighboring plants and the public if a release occurs?			
4.	Does site security prevent access by unauthorized persons while not hindering emergency services (e.g., fire fighters, paramedics)?			
5.	Are there below-ground-level locations (pits, ditches, sumps) where toxic or flammable materials can collect?			
6.	Are emergency shutdown switch locations protected against potential hazards, in easily accessible locations, and provided with knocking guards?			
7.	Can transportation of hazardous materials or impact of spillage be reduced by suitable site location?			
8.	Other general site concerns (specify)?			
BUIL	DING PROTECTION			
9.	Is ground or paving sloped so that flammables will not accumulate beneath vessels?			
10	Could drainage system cope with both storm water and fire fighting water?			
11	Are structures that are load bearing fireproofed if they are required to support vessels, equipment or pipework carrying flammable, toxic or hazardous materials?			

Item	Question	Answer (Y, N, N/A)	Justification	Recommendations
12.	Are dikes, berms, barricades or containment systems			
	required to protect personnel and/or equipment against fire,			
	explosion, or toxic exposure?			
13.				
	systems adequately designed and maintained?			
14.	Are traffic signs/crash barriers/restrictions required to			
	protect against vehicle or other impacts or injuries to			
	personnel in the vicinity?			
15.	7,-			
	systems adequately designed and maintained?			
16.	In the event of an explosion, would fire fighting water remain available?			
17	Other building protection concerns (specify)?			
	· · · · · · · · · · · · · · · · · · ·			
PROC	ESS PROTECTION			
18.	Does the plant meet the requirements of electrical hazardous			
	areas classifications?			
19.	 Is there an electrical classification document(s)? 			
20.	Have significant changes made, since the system was			
	originally constructed, been included in the electrical			
	classification documents?			
21.	Is there adequate protection of piping and vessels from			
	vehicles and forklifts?			
22.	Is there adequate protection of small-bore lines, fittings from			
	external impact, personnel?			
23.	Is process piping, critical controls cable trays, and critical			
	utilities protected against potential hazards?			
24.	Do critical process controls have back-up power supply?			
25.	 Is the back-up power supply available for a sufficient 			
	length of time?			
26.	 Is the back-up power supply tested and maintained? 			
27.	Other process protection concerns (specify)?			
SPAC	ING			
	Does plant layout:			
28.	Reduce chances of explosion or fire by minimizing			
20.	- neduce chances of explosion of the by minimizing			

Item	Question	Answer (Y, N, N/A)	Justification	Recommendations
	ignition hazards?			
29.	 Limit the spread of fire or damage caused by flying debris or blast? 			
30.	 Allow sufficient access for fire fighting vehicles, equipment and personnel? 			
31.	 Minimize effects of fire/explosion on adjacent facilities? 			
32.	 Separate continuous ignition sources from potential release sources of flammable materials? 			
33.	 Ensure that critical facilities (e.g., fire fighting, manual shutoffs) are not subject to fire, explosion, or toxic cloud? 			
34.	Are exothermic reactors located away from key facilities, control rooms, etc.?			
35.	Are control rooms located outside of battery limits and next to an access roadway?			
	Are pumps handling flammables not placed:			
36.	 Immediately beneath pipe racks or access structures? 			
37.	Beneath air/fan exchangers?			
38.	 Beneath drums or exchangers operating at high temperatures? 			
39.	Is hazardous material storage area located in a hazardous manner (e.g., uphill of process plant without adequate diking)?			
40.	Have potential risks from pressurized storage (e.g., propane bullets, storage spheres) been assessed to be adequate?			
41.	Have routing of flare headers through hazardous locations been minimized?			
42.	Have the placement of flares been examined for radiant heat effects?			
43.	pulling of heat exchanger tube bundles, catalyst removal)?			
44.	Does layout minimize the use of heavy lifting equipment?			
45.	Are pipe configurations that tend to box units in and make them less accessible avoided?			
46.	Are machinery rooms (e.g., ammonia refrigeration) located			

Item	Question	Answer (Y, N, N/A)	Justification	Recommendations
	adjacent to large populations that could be impacted if there			
	is a chemical release?			
47.	Other spacing concerns (specify)?			
HEAL	TH AND SAFETY			
48.	Are there at least two separate means of escape for			
	operating personnel from all locations on the plant?			
49.	Are escape route maps showing assembly points posted where personnel can see them?			
50	Are walkways and access ways wide enough to accommodate			
30.	response personnel wearing breathing packs (e.g., SCBA)?			
51.	Are emergency showers and eye baths adequate in number			
	and location, and are they functional?			
52.	Is adequate lighting provided for normal and emergency			
	situations?			
53.	Are safety relief valve discharges, vents, and drains located in			
	areas that minimize employee exposure?			
54.	Other health and safety concerns (specify)?			
LOCA	TION OF BUILDINGS (E.G., CONTROL ROOMS/CRI	TICAL BUILDINGS,	OCCUPIED BUILDINGS/	TRAILERS)
	Could building be impacted by:			
55.	 Vapor cloud explosion from the facility? 			
56.	 Pool fire, jet fire, fireball, flash fire from the facility? 			
57.	 Toxic release from facility? 			
	For buildings subject to potential blast:			
58.	 Is the building built to satisfy current overpressure 			
	standards?			
59.	 Is the building designed for blast protection? 			
60.				
61.	Are building windows blast protected?			
62.	 Will the control room remain functional for shutdown purposes? 			
63.	Could internal components fail?			

Item	Question	Answer (Y, N, N/A)	Justification	Recommendations
	For buildings impacted by fire:			
64.	 Are nonflammable construction materials used? 			
65.	 Is ground sloped away from building to prevent ingress of burning liquids? 			
66.	 Are windows minimized, or can they be, to withstand thermal effects? 			
	For buildings subject to potential toxics/asphyxiants including combustion products:			
67.	 Can fresh air intakes be sealed closed in the event of emergency? 			
68.	 Are fresh air intakes automated to close in event of toxic material? 			
69.	 Are self-contained breathing air packs available to personnel normally within the building? 			
70.	 Is the control room built to satisfy current safe haven standards? 			
	For occupied buildings/trailers within the footprint of a toxic release from the process:			
71.	 Is the building/trailer under positive pressure? 			
72.	 Are the building's/trailer's air intakes located above ground? 			
73.	 Does the building/trailer have toxic gas detectors? 			
74.	 Do building/trailer occupants have adequate personal protective equipment and training to be able to make a safe escape? 			
75.	 If the building/trailer is a shelter-in-place location or safe haven, can HVAC system be quickly shutdown, and the building/trailer sealed? 			
76.	Do alternate command centers/control rooms exist?			
77.	Other concerns related to location of buildings (specify)?			

Data sources:

Guidelines for Process Hazards Analysis, Hazards Identification & Risk Analysis, Nigel Hyatt, March 2004 AcuTech Process Risk Management, Siting Checklist State of Ohio EPA, Siting Checklist International Institute of Ammonia Refrigeration, Process Safety Management Guidelines